Deploying Complex Crowdsourcing Tasks Without Fear: An Introduction to Crowd_Frame

Michael Soprano, Kevin Roitero, and Stefano Mizzaro

michael.soprano@uniud.it, University of Udine (DMIF)

The 3rd Italian Conference on Big Data and Data Science

Pisa - September 17, 2024



- Human Computation: Leveraging human intelligence to solve computational problems or complete tasks that machines cannot easily handle alone
 - Larger workflows, where human input is needed
- Crowdsourcing: a modality to leverage human intelligence at scale [1]
- Not all crowdsourcing qualifies as human computation

- Crowdsourcing = crowd + outsourcing [2]
- Outsourcing some kind of task
- Performed internally, for instance by employees
- To an **undefined** and (generally) **large** crowd of people
- In the form of an **open call** to work

- Individuals who need to conduct a crowdsourcing task
- Crowdsourcing platforms are marketplaces for human labor
- Requesters publish open calls for work
- Tasks are allocated to a crowd of workers
- Crowd workers perform the assigned tasks and receive a reward

Terminology

- Human Intelligence Task (HIT): a single, self-contained, virtual work unit allocated to and performed by an individual
- **Requester**: an employer who recruits employees (*workers*) from a platform for the execution of HITs in exchange for a wage (*reward*)
- Worker: an individual who joins a crowdsourcing platform to perform and complete HITs published by requesters
- Element: item that a individual evaluates, uses, addresses within a HIT
 - A HIT is composed of a set of elements
- Batch: a set composed of multiple HITs published by a single requester
- Task: all the batches of work units published

Various crowdwsourcing platforms:

- Amazon Mechanical Turk: a general-purpose human workforce
- **Prolific**: workers are explicitly recruited for participation in research tasks
- Toloka: primarily focused on data labeling tasks, but not exclusively

- A requester needs to choose the most suitable platform
- Each platform supports crowdsourcing task workflows in different ways
 - This workflow can be **complex** and present several challenges
- Crowd_Frame allows for simplifying parts of this workflow
- What must a requester do to design and publish a crowdsourcing task?
- Sample platform: *Amazon Mechanical Turk*
- Afterwards, we will turn to Crowd_Frame

https://www.mturk.com/

Amazon Mechanical Turk

The task design and deployment workflow involves three phases:

- Project definition
 - The requester chooses the type of task and sets parameters
- Task interface design
 - Development of a web application
- Customization and publication
 - The requester can define multiple pools of workers to recruit

Task interface design

- Web application: HTML + CSS + JavaScript
- The platform provides the Crowd Elements
- Superset of HTML
 - Custom tags that include and hide CSS styles and JS scripts
 - Attributes to modify their behavior
 - Task body: <crowd-form>
 - o Instructions: <crowd-instructions>
 - 0 ...

Amazon Mechanical Turk

```
<crowd-form answer-format="flatten-objects">
 <crowd-instructions link-text="View instructions" link-type="button">
   <short-summary>
     Provide a brief instruction here
   </short-summary>
   <detailed-instructions>
     <h3>Provide more detailed instructions here</h3>
     Include additional information
   </detailed-instructions>
 </crowd-instructions>
 <div>
   What is your favorite color for a bird?
   <crowd-input name="favoriteColor" placeholder="example: pink" required></crowd-input>
 </div>
</crowd-form>
```

Amazon Mechanical Turk

Some considerations:

- The whole codebase in a single box
- HTML + CSS + Javascript
- Presentation and logic are mixed
- Data storage: formd fields of type hidden
 - JSON objects as values

• ...

View instructions

What is your favorite color for a bird?

example: pink

Submit


Customization and publish

How to customize the task interface for each HIT assigned to a worker?

- Define variables whose values can be used in the codebase
 - Syntax: \${VARIABLE_NAME}
- Initialize them during task publication
 - CSV file-based mechanism
 - Columns: variable names, rows: values

```
<div>
    Rate the bird: ${BIRD_NAME} using a value between 1 and 100
    <crowd-slider name="birdRating" min="1" max="100" step="1" required></crowd-slider>
    </div>
```

Amazon Mechanical Turk



Amazon Mechanical Turk

Several difficulties emerge:

- The requester must have advanced programming skills
- The user interface is built by mixing presentation and business logic
- The input data passing mechanism is cumbersome
- Data storage for complex data is not trivial and falls on the requester
 - Logging...
 - Timestamps...

Wrap Up

What about other crowdsourcing platforms?

- Let us consider, for instance, *Prolific* [4]
- The requester has to to **set some parameters**
- External URL to the task interface
- No way to design the task "in-house"

What to do, then?

Idea


- Rely on crowdsourcing platforms only to (eventually) recruit the crowd of workers
- The workers access a task designed and deployed using external software
- They perform the task and return on the platform to receive the reward (if needed)
- This external software is *Crowd_Frame* [5]
 - https://github.com/Miccighel/Crowd Frame

Aims

- " A software system that allows to easily design and publish diverse types of crowdsourcing tasks
- Build a variety of crowdsourcing tasks
- A customizable and controllable environment
- Simplify task design and publishing workflow
- Regardless of the crowdsourcing platform chosen
- Freely available to the research community

99

Crowd_Frame




Architecture of Crowd_Frame

In a Nutshell

- The requester defines a set of **annotation requests** (HITs) composed of information items
- Task configuration is represented as a set of JSON objects
- Modifying the configuration results in a different task
 - Crowd_Frame: an Angular application
 - DB: based on Amazon Web Services
- Crowd workers interact with the application
- They produce annotated information items
- Results are downloaded in a well-known format

https://angular.io/

Crowd_Frame



Crowd_Frame

- Detailed instructions available in the repository
- Follow the instructions, then focus on the build/task folder

File	Description
hits.json	Contains the full set of HITs
questionnaires.json	Defines the questionnaires
dimensions.json	Defines the evaluation dimensions
instructions_general.json	Provides general instructions
instructions_evaluation.json	Provides specific evaluation instructions
search_engine.json	Configures the custom search engine
task.json	Contains general task settings
workers.json	Configures worker access settings

- Let us design a simple task using Crowd_Frame
- Fact-checking process:
 - Check-worthiness, evidence retrieval, truthfulness assessment, ...
- "Most successful" use of Crowd_Frame
- Truthfulness assessment crowdsourcing task:
 - **Dataset**: 3 information items
 - text, speaker, and date
 - General instructions
 - Workers: 3 (i.e., 3 HITs)
 - Evaluation dimension: 1 (truthfulness)
 - Assessment time: 1 hour

- PolitiFact: an organization that fact-checks information items
 - US politicians, political parties, other public figures, and social media
- More than 24,000 fact-checks available
- Uses a six-level assessment scale
- Let us sample 3 information items



Social Media

stated on September 10, 2024 in social media posts:

Vice President Kamala Harris wore NOVA H1 audio earrings in the Sept. 10, 2024, presidential debate.



NATIONA

DEBATES

FACEBOOK FACT-CHECKS

SOCIAL MEDIA

23/40

Our Dataset

Speaker	Date	Text	Ground Truth
Donald	September	In Springfield (Ohio), they're eating the dogs, the people that came in, they're eating the cats. They're eating, they're eating the people that live there.	pants-on-
Trump	10, 2024		fire
Kamala	September	As of today, there is not one member of the United States military who is in active duty in a combat zone, in any war zone around the world, for the first time this century.	mostly-
Harris	10, 2024		false
Elizabeth Warren	August 25, 2024	JD Vance actually sent a letter last year to the Department of Justice saying, 'enforce the Comstock Act.'	true

Objects with captions and text, where the text can contain HTML tags

HITs Allocation

- 1. There must be an **array of HITs** (also referred to as *units*)
- 2. Each HIT must have a unique input token attribute
- 3. Each HIT must have a *unique* output token attribute
- 4. The **number of elements in each HIT** must be specified
- 5. Each element must have an attribute named id
- 6. Each element can have an arbitrary number of attributes

```
"unit_id": "unit_0",
        "token_input": "INPUT1",
        "token_output": "OUTPUT1",
        "documents_number": 3,
        "documents": [
                        "id": "statement_1", "text": "In Springfield (Ohio) ...",
                        "date": "September 10, 2024", "speaker": "Donald Trump"
                },
                        "id": "statement_2", "text": "As of today, ...",
                        "date": "September 10, 2024", "speaker": "Kamala Harris"
                },
                        "id": "statement_3", "text": "JD Vance actually...",
                        "date": "September 10, 2024", "speaker": "Elizabeth Warren"
}, ...
```


HITs allocation (hits.json)

```
"name": "truthfulness",
"scale": {
    "type": "categorical",
    "mapping": [
        { "label": "Pants-on-Fire", "description": "", "value": "0" },
        { "label": "False", "description": "", "value": "1" },
        { "label": "Mostly-False", "description": "", "value": "2" },
        { "label": "Half-True", "description": "", "value": "3" },
        { "label": "Mostly-True", "description": "", "value": "4" },
        { "label": "True", "description": "", "value": "5" }
   ],
    "instructions": {
        "label": "A",
        "caption": "Evaluate the truthfulness of the statement",
        "text": false
},
"style": {
    "type": "list",
    "position": "middle",
    "orientation": "vertical",
    "separator": false
```

• Time available to assess, minimum time required for each element, ...

```
"modality": "pointwise",
"allowed_tries": 10,
"time_assessment": 1,
"time check amount": 3,
"attributes": [
    { "name": "id", "name_pretty": false, "show": false, "annotate": false, "required": false},
    { "name": "date", "name_pretty": "Date", "show": true, "required": false, "annotate": false},
    { "name": "speaker", "name_pretty": "Speaker", "show": true, "required": false, "annotate": false},
    { "name": "text", "name_pretty": "Statement", "show": true, "required": false, "annotate": false}
],
"element_labels": {
    "main": "Statement",
    "main short": "S"
},
```


- Remaining configuration objects are left empty
- Let's take a look at the task
 - https://bit.ly/itadata2024-demo-base
- Download the sample configuration
 - https://bit.ly/itadata2024-demo-configuration



Crowdsourcing task interface

- What if we want to add another evaluation dimension?
- Ask workers to report confidence in their assessments

```
"name": "confidence", "task_type": [ "Main" ],
"scale": {
    "type": "interval", "min": 1, "max": 100,
    "instructions": {
        "label": "B",
        "caption": "Report the confidence in your assessment",
        "text": false
},
"style": {
    "type": "list", "position": "middle",
    "orientation": "vertical", "separator": true
```



- We set up our truthfulness assessment task
- Now... what about results?
- Download script to produce the final results
 - build/download.py
- Snapshots of the raw data produced by workers during the task
- Raw data is refined into a set of structured DataFrames
 - The number of DataFrames depends on the task
 - Different granularities for rows and columns
- Backup of task configuration

Sample of collected assessments (worker_answers.csv)

```
worker_id,paid,task_name,batch_name,unit_id,try_last,try_current,action,time_submit,time_submit_parsed,
document_id,document_index,truthfulness_value,truthfulness_label,truthfulness_index,confidence_value,
time_start,time_end,time_elapsed,time_start_parsed,time_end_parsed,accesses

VAIL5CK0P6PD30,True,ITADATA2024,Demo,unit_0,1,1,Next,"Fri, 13 Sep 2024 08:56:01",2024-09-13 08:56:01,
statement_1,0,5,true,5,29.0,1726217754.0,1726217761.45,7.45,2024-09-13 08:55:54,2024-09-13 08:56:01,1

VAIL5CK0P6PD30,True,ITADATA2024,Demo,unit_0,1,1,Next,"Fri, 13 Sep 2024 08:56:06",2024-09-13 08:56:06,
statement_2,1,4,mostly-true,4.0,31,1726217761.45,1726217766.8,5.36,2024-09-13 08:56:01,2024-09-13 08:56:06,1

VAIL5CK0P6PD30,True,ITADATA2024,Demo,unit_0,1,1,Finish,"Fri, 13 Sep 2024 08:56:12",2024-09-13 08:56:12,
statement_3,2,2,mostly-false,2.0,39,1726217766.8,1726217772.47,5.67,2024-09-13 08:56:06,2024-09-13 08:56:12,1
```

- Now, you know a bit more about Crowd_Frame
- Try to perform a real truthfulness assessment crowdsourcing task:
 - https://bit.ly/itadata2024-demo-full
- Download the full configuration:
 - https://bit.ly/itadata2024-demo-full-configuration
- We conducted it in 2023 [6]
- It should take about 15-20 minutes

Limitations

- Implementation of automatic allocation of elements in HITs
- An interface for internally monitoring the status of tasks
- Crowd_Frame is (still) a research tool, not a product
- Development skills are still required...
 - ...and a bit of patience

Conclusions

- Crowd_Frame is designed to support crowdsourcing-based approaches.
- It simplifies the task design and publication workflow.
- We used it to collect data for several studies
- If you need to conduct a crowdsourcing task...
- ...there is a good chance I might help you

Conclusions

Any questions!?



© Kevin Roitero

Acknowledgments

This research is supported by the European Union's NextGenerationEU PNRR M4.C2.1.1 – **PRIN 2022 project** 20227F2ZN3 *MoT-The Measure of Truth: An Evaluation-Centered Machine-Human Hybrid Framework for Assessing Information Truthfulness* (CUP G53D23002800006)

